Flammability 3-H	Extreme 0	Material Safety Data Sheet				
	Noderate < * 0		_			
Hazarda	Slight -	No.: 2910	Rev. No.: 3			
	nsignificant HAZARD SYMBOL [~]	Date Revised: 1/1	/01			
See NFPA 704	for detailed explanation.				HARBORLITE®	
* See Section 3 F	IAZARD IDENTIFICATION					
1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION						
Trade Name(s): (HARBORLITE [®] = H) H 100, H 120, H 140, H 200, H 400, H 500, H 600, H 635, H 700, H 700S, H 800, H 800S, H 900, H 900S, H 1500, H 1500S, H 1800, H 1800S, H 1900S, H 2000, H 2000S, H 2100S, H 5000, H 5000S, H PP2, H WP26						
Generic Name: PERLITE (EXPANDED) CAS: 93763-70-3 Chemical Name: AMORPHOUS ALUMINA SILICATE EINECS: UNKNOWN Manufacturer: HARBORLITE CORPORATION Formula: MIXTURE Address: P.O. BOX 519 Telephone: (805) 735-7791 City: LOMPOC State: CA Zip: 93438						
City. LOWFOC	State. CA	Ζιμ. 93436			al: (703) 527-3887 (collect)	
		COMPOSITION/INFOR	MATION ON INGREDIENTS			
INGREDIENT NAME	E:		CAS NUMBER:	%	PEL AND TLV (except as noted)	
					(except as noted)	
PERLITE (AMORPHOUS ALU	MINA SILICATE)		130885-09-5	100	5 mg/M ³ RESPIRABLE NUISANCE DUST, OSHA 10mg/M ³ TOTAL NUISANCE DUST, ACGIH	
3. HAZARD IDENTIFICATION						
Summary: PROLONGED AND REPEATED EXPOSURE TO EXCESSIVE CONCENTRATIONS OF THIS PRODUCT'S DUST, OR ANY NUI- SANCE DUST, CAN CAUSE CHRONIC PULMONARY DISEASE. DUST CONTACT WITH EYES MAY CAUSE TEMPORARY SCRATCHINESS OR REDNESS. THIS PRODUCT HAS NOT BEEN CLASSIFIED AS A CARCINOGEN BY NTP OR IARC.						
Medical conditions which may be aggravated: PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS, BUT NOT LIMITED TO BRONCHITIS, EMPHYSEMA AND ASTHMA. Target Organ(s) : LUNGS, EYES						
Acute Health Effects: TRANSITORY UPPER RESPIRATORY OR EYE IRRITATION. Chronic Health Effects: PROLONGED AND REPEATED EXPOSURES TO EXCESSIVE CONCENTRATIONS OF PRODUCT DUST, IN EXCESS OF THE PEL/TLV, CAN CAUSE CHRONIC PULMONARY DISEASE.						
Primary Entry Route(s) : INHALATION, DUST CONTACT WITH EYES. Inhalation: IRRITATION AND SORENESS IN THROAT & NOSE. IN EXTREME EXPOSURES SOME CONGESTION MAY OCCUP Eyes: TEMPORARY IRRITATION OR INFLAMMATION. Skin Contact: NA Ingestion: NOT HAZARDOUS WHEN INGESTED.						
		ingestion.		GEOTE		
4. FIRST AID MEASURES						
Inhalation:REMOVE TO FRESH AIR. DRINK WATER TO CLEAR THROAT AND BLOW NOSE TO EVACUATE DUST.Eyes:FLUSH EYES WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS CONSULT A PHYSICIAN.Skin Contact:NASkin Absorption:NAIngestion:NA						
5. FIRE FIGHTING MEASURES						
Flash Point (Method) : NONFLAMMABLE NFPA Flammable/Combustible Liquid Classification: NA Flammable Limits: LEL: NA Auto-Ignition Temperature: NA Extinguishing Media: NA Unusual Fire or Explosion Hazards: NONE Special Fire-Fighting Procedures: NONE						
6. ACCIDENTAL RELEASE MEASURES						
Procedures for Spill/Leak: VACUUM CLEAN DUST WITH EQUIPMENT FITTED WITH HEPA FILTER. USE A DUST SUPPRESSANT SUCH AS WATER IF SWEEPING IS NECESSARY-						
[°] Copyright [®] 1980. National Fi only by the standard in its en		269. This reprinted material is no	ot the complete and official position of th MSDI/ 176-20: 12/00400 [~]	e NFPA or	the referenced subject, which is represented	

7. HANDLING AND STORAGE							
MINIMIZE DUST GENERATION AND ACCUMULATION. AVOID BREATHING DUST, AVOID CONTACT WITH EYES. SEAL BROKEN BAGS IMMEDIATELY. CONTINUE TO FOLLOW ALL MSDS/LABEL WARNINGS WHEN HANDLING EMPTY CONTAINERS.							
8. EXPOSURE CONTROLS/PERSONAL PROTECTION							
Goggles: GOGGLES OR SAFETY GLASSES WITH SIDESHIELDS ARE RECOMMENDED. Gloves: NOT NORMALLY REQUIRED. Respirator: <10X PEL, USE AN N95 QUARTER OR HALF MASK RESPIRATOR; <50X PEL, USE A FULL FACE RESPIRATOR EQUIPPED WITH N95 FILTERS; <200X PEL, USE A POWERED AIR PURIFYING RESPIRATOR (POSITIVE PRESSURE) WITH N95 FILTERS; >200X PEL, USE A FULL FACE, TYPE C SUPPLIED AIR RESPIRATOR (CONTINUOUS FLOW MODE). Ventilation: USE SUFFICIENT NATURAL OR MECHANICAL VENTILATION TO KEEP DUST LEVEL BELOW PEL.							
Other: Special Considerations for repair/maintenance of contaminated equipment: INSURE PROPER RESPIRATORY PROTECTION.							
		9. PHYSICAL AND CHE	MICAL PROPERTIES				
Appearance and Odor: WHITE POWDERY SOLID, NO ODOR.							
Boiling Point: Vapor Pressure: Water Solubility (%) :	NA NA NEGLIGIBLE	Evaporation Rate (Melting Point: Vapor Density (Air=1) :	= 1): NA Specific Gravity (water = 1): 2.2 - 2.4 2000 F Specific Gravity (bulk): 0.08 - 0.20 NA pH: 6.5 - 7.5 % Volatile by Volume: NIL				
		10. STABILITY AN	DREACTIVITY				
MATERIAL IS STABLE. HAZARDOUS POLYMERIZATION CANNOT OCCUR. Chemical Incompatibilities: HYDROFLUORIC ACID. Conditions to Avoid: NONE IN DESIGNED USE.							
		11. TOXICOLOGICA	LINFORMATION				
Summary: PROLONGED AND REPEATED EXPOSURE TO EXCESSIVE CONCENTRATIONS OF THIS PRODUCT'S DUST, OR ANY NUI- SANCE DUST, CAN CAUSE CHRONIC PULMONARY DISEASE. DUST CONTACT WITH EYES MAY CAUSE TEMPORARY SCRATCHINESS OR REDNESS. THIS PRODUCT HAS NOT BEEN CLASSIFIED AS A CARCINOGEN BY NTP OR IARC.							
			NEORMATION				
12. ECOLOGICAL INFORMATION GENERALLY CONSIDERED CHEMICALLY INERT IN THE ENVIRONMENT. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANT AND SHOULD BE EVALUATED ACCORDINGLY.							
13. DISPOSAL CONSIDERATIONS							
WASTE IS NOT HAZARDOUS AS DEFINED BY RCRA (40 CFR 261). OTHER STATE AND LOCAL REGULATIONS MAY VARY, CONSULT LOCAL AGENCIES AS NEEDED. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANTS AND SHOULD BE EVALUATED ACCORDINGLY.							
		14. TRANSPORTATIO	NINFORMATION				
D.O.T. Proper Shipping Name: PERLITE CRUDE Hazard Classification: NOT CLASSIFIED Reportable Quantities: NOT APPLICABLE UN (United Nations), NA(North America) Number: NOT APPLICABLE							
		15. REGULATOR	INFORMATION				
OSHA Hazard Communications Standard, 29 CFR 1910.1200: MATERIAL IS CONSIDERED HAZARDOUS, SEE SECTION 3 OF THIS MSDS. RCRA: THIS MATERIAL IS NOT DEFINED AS HAZARDOUS WASTE PER 40 CFR 261. TSCA: THIS MATERIAL IS LISTED IN THE TSCA INVENTORY, AND IS NOT OTHERWISE REGULATED BY TSCA SEC. 4, 5, 6, 7 OR 12. CERCLA: MATERIAL IS NOT REPORTABLE UNDER CERCLA, LOCAL REQUIREMENTS MAY VARY. SARA: 311/312 HAZARD CATAGORIES - IMMEDIATE AND DELAYED HEALTH, 313 REPORTABLE INGREDIENTS - NONE. California Proposition 65: NOT APPLICABLE							
		16. OTHER INF					
Storage Segregation Hazard Classes: NA Special Handling/Storage: REPAIR ALL BROKEN BAGS IMMEDIATELY. Special Workplace Engineering Controls: ADEQUATE VENTILATION TO KEEP DUST LEVEL BELOW PEL.							
Prepared/Revised by:	CHRIS PAULEY		Title: DIRECTOR, HEALTH & SAFETY SERVICES				
As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given.							