Version No. 13000-18A Issue Date: April 17, 2018

OSHA HCS-2012 / GHS

Section 1: IDENTIFICATION

Simple Green® All-Purpose Cleaner **Product Name: Additional Names:** Manufacturer's Part Number: *Please refer to Section 16 **Recommended Use:** Cleaner & Degreaser for water tolerant surfaces. **Restrictions on Use:** Do not use on non-rinsable surfaces. Company: Sunshine Makers, Inc. Telephone: 800-228-0709 • 562-795-6000 Mon - Fri, 8am - 5pm PST 15922 Pacific Coast Highway 562-592-3830 Fax: Huntington Beach, CA 92649 USA Email: info@simplegreen.com **Emergency Phone:** Chem-Tel 24-Hour Emergency Service: 800-255-3924

Section 2: HAZARDS IDENTIFICATION

This product is not classified as hazardous under 2012 OSHA Hazard Communication Standards (29 CFR 1910.1200).

OSHA HCS 2012 Label Elements Signal Word: None

Hazard Symbol(s)/Pictogram(s): None required

Hazard Statements: None Precautionary Statements: None Hazards Not Otherwise Classified (HNOC): None Other Information: None Known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	<u>CAS Number</u>	Percent Range
Water	7732-18-5	> 84.8%*
Ethoxylated Alcohol	68439-46-3	< 5%*
Sodium Citrate	68-04-2	< 5%*
Tetrasodium N, N-bis(carboxymethyl)-L-glutamate	51981-21-6	< 1%*
Sodium Carbonate	497-19-8	< 1%*
Citric Acid	77-92-9	< 1%*
Isothiazolinone mixture	55965-84-9	< 0.2%*
Fragrance	Proprietary Mixture	< 1%*
Colorant	Proprietary Mixture	< 1%*

*specific percentages of composition are being withheld as a trade secret

Section 4: FIRST-AID MEASURES

Inhalation:Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.Skin Contact:Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.Eye Contact:Not expected to cause eye irritation. If adverse effect occurs, flush eyes with water.Ingestion:May cause upset stomach. Drink plenty of water to dilute. See section 11.

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

Supersedes Date: September 13, 2014

OSHA HCS-2012 / GHS

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Specific Hazards Arising from Chemical: Special Protective Actions for Fire-Fighters:

Version No. 13000-18A

Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water. In event of fire, fire created carbon oxides may be formed. Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: *For non-emergency and emergency personnel:* See section 8 – personal protection. Avoid eye contact. Safety goggles suggested.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values: No components listed with TWA or STEL values under OSHA or ACGIH.

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.Respiratory: Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.Skin Contact: Use protective gloves (any material) when used for prolonged periods or dermally sensitive.

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Green Liquid		Partition Coefficient: n-octanol/water: Not determined				
Odor:	dor: Added sassafras odor		Autoignition Temperature: Non-flammable			
Odor Threshold:	dor Threshold: Not determined		Decomposition Temperature: 109°F			
pH ASTM D-1293:	H ASTM D-1293: 8.5 – 9.5		Viscosity: Like water			
Freezing Point ASTM D-1177:	0-3.33°C (32-38°F)	Specific Gravity ASTM D-891:	: 1.01 -	- 1.03		
Boiling Point & Range ASTM D-	1120: 101°C (213.8°F)	VOCs: **	Water & frag	grance exemption in	calculation	
Flash Point ASTM D-93:	> 212°F	SCAQMD 304-91 / EPA 24:	0 g/L	0 lb/gal	0%	
Evaporation Rate ASTM D-1901	: ½ Butyl Acetate @ 25°C	CARB Method 310**:	2.5 g/L	0.021 lb/gal	0.25%	
Flammability (solid, gas): Not applicable		SCAQMD Method 313: Not tested				
Upper/Lower Flammability or Explosive Limits: Not applicable		VOC Composite Partial Pressure: Not determined				
Vapor Pressure ASTM D-323: 0.60 PSI @77°F, 2.05 PSI @100°F		Relative Density ASTM D-4017: 8.34 – 8.42 lb/gal				
Vapor Density:	Not determined	Solubility:	10	10% in water		

Supersedes Date: September 13, 2014

OSHA HCS-2012 / GHS

Section 10: STABILITY AND REACTIVITY

Version No. 13000-18A

Reactivity:	Non-reactive.
Chemical Stability:	Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).
Possibility of Hazardous Reactions:	None known.
Conditions to Avoid:	Excessive heat or cold.
Incompatible Materials:	Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.
Hazardous Decomposition Products:	Normal products of combustion - CO, CO2.

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation -	Overexposure may cause headache.
	Skin Contact -	Not expected to cause irritation, repeated contact may cause dry skin.
	Eye Contact -	Not expected to cause irritation.
	Ingestion -	May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

Numerical Measures of	Toxicity			
Acute Toxicity:	Oral LD50 (rat)	> 5 g/kg body weight		
	Dermal LD ₅₀ (rabbit)	> 5 g/kg body weight		
		Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals		
Skin Corrosion/Irritatio	n: Non-irritant per Dermal Irritection [®] assay modeling. No animal testing performed.			
Eye Damage/Irritation:	Minimal irritant	Minimal irritant per Ocular Irritection [®] assay modeling. No animal testing performed.		
Germ Cell Mutagenicity	: Mixture does no	Mixture does not classify under this category.		
Carcinogenicity:	Mixture does no	Mixture does not classify under this category.		
Reproductive Toxicity:	Mixture does no	Mixture does not classify under this category.		
STOT-Single Exposure:	Mixture does no	Mixture does not classify under this category.		
STOT-Repeated Exposu	re: Mixture does no	Mixture does not classify under this category.		
Aspiration Hazard:	Mixture does no	Mixture does not classify under this category.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.
Aquatic Toxicity - Low, based on OECD 201, 202, 203 + Microtox: EC₅₀ & IC₅₀ ≥100 mg/L. Volume of ingredients used

Aquatic: Aquatic Toxicity - Low, based on OECD 201, 202, 203 + Microtox: EC₅₀ & IC₅₀ ≥100 mg/L. Volume of Ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.

Terrestrial: Not tested on finished formulation.

Persistence and Degradability:	Readily Biodegradable per OCED 301D, Closed Bottle Test
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Supersedes Date: September 13, 2014

OSHA HCS-2012 / GHS

Section 14: TRANSPORT INFORMATION

U.N. Number:Not applicableU.N. Proper Shipping Name:Cleaning Compound, Liquid NOITransport Hazard Class(es):Not applicableNMFC Number:48580-3Packing Group:Not applicableClass:55Environmental Hazards:Marine Pollutant - NO55Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code):Unknown.Special precautions which user reds to be aware of/comply with.None known.with transport or conveyance etwithin or outside their premier.None known.					
U.S. (DOT) / Canadia IMO / IDMG:	n TDG: Not Regulated Not classified		ICAO/ IATA: ADR/RID:	Not classified as Hazardous Not classified as Hazardous	
Section 15: RE	GULATORY INFORM	ATION			
All components are I	isted on: TSCA and DS	L Inventory.			
Se	ctions 311/312 Hazard Cate ctions 313 Superfunds Ame ctions 302 – Not applicable	endments and Reauthoriza	ations Act of 1986 – Not ap	oplicable.	
<u>Clean Air Act (CAA):</u> Clean Water Act (CW	Not applicable <u>A):</u> Not applicable				
State Right To Know Lists: No ingredients listed California Proposition 65: No ingredients listed Texas ESL: No ingredients listed					
Ethoxylated Alcohol	68439-46-3	60 μg/m ³ long term	600 μg/m ³ short term		
Sodium Citrate Sodium Carbonate	68-04-2 497-19-8	5 μg/m³ long term 5 μg/m³ long term	50 μg/m³ short term 50 μg/m³ short term		
Citric Acid	77-92-9	$10 \ \mu g/m^3 \log term$	$100 \mu\text{g/m}^3$ short term		
Section 16: OT	HER INFORMATION				
Size	UPC	Size		<u>UPC</u>	
2 oz. Pump	043318130366	1 Gallon w/ Dil	ution Bottle	043318000669	
2 oz. Pump	043318131035	1 Gallon		043318000799	
4 oz. Pump	043318130014	1 Gallon w/ Dil	ution Bottle	043318001383	
16 oz. Trigger	043318130021	1 Gallon w/ Dil		043318002021	
22 oz. Trigger	043318130229	1 Gallon		043318130052	
24 oz. Trigger, 12 per			ution Bottle, 112 per case		
24 oz. Trigger	043318000300		ution Bottle, 4 per case	043318480416	
24 oz. Trigger	043318130137		ution Bottle, 24 per case	043318480492	
32 oz. Trigger	043318000652	1 Gallon w/ lau		043318002052	
32 oz. Trigger	043318130335	1 Gallon w/ to	-	043318001222	
67.6 oz	043318000393	140 oz.		043318001390	
67.6 oz.	043318130144	140 oz., 168 pe	er case	043318561405	
1 Gallon w/ Dilution E		140 oz. w/ Dilu		043318001468	

2.5 Gallon

USA items listed only. Not all items listed. USA items may not be valid for international sale.

043318000645

1 Gallon w/ Dilution Bottle

043318004889

OSHA HCS-2012 / GHS

Section 16: OTHER INFORMATION - continued

NFPA:

Health - None Flammability - Non-flammable Stability – Stable Special - None

Acronyms

NTP	National Toxicology Program	IARC	International Agency for Research on Cancer
OSHA	Occupational Safety and Health Administration	CPSC	Consumer Product Safety Commission
TSCA	Toxic Substances Control Act	DSL	Domestic Substances List

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department. This SDS has been revised in the following sections: Added UPC to section 16

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.