

ARMSTRONG WORLD INDUSTRIES INC -- S-700 FLOOR TILE ADHESIVE -- 8040-00N033418

=====
Product Identification
=====

Product ID:S-700 FLOOR TILE ADHESIVE
MSDS Date:07/01/1991
FSC:8040
NIIN:00N033418
MSDS Number: BPQHC
=== Responsible Party ===
Company Name:ARMSTRONG WORLD INDUSTRIES INC
Address:313 WEST LIBERTY ST
Box:3001
City:LANCASTER
State:PA
ZIP:17604
Country:US
Info Phone Num:717-396-2328;717-396-2935
Emergency Phone Num:717-396-2328;717-396-2935
CAGE:03938

=== Contractor Identification ===
Company Name:ARMSTRONG WORLD INDUSTRIES, INC.
Address:313 W. LIBERTY ST.
Box:3209
City:LANCASTER
State:PA
ZIP:17604
Country:US
Phone:717-396-2328; 717-396-2935
CAGE:03938

=====
Composition/Information on Ingredients
=====

Ingred Name:UREA
CAS:57-13-6
RTECS #:YR6250000
Fraction by Wt: 2%

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN & EYES: EXCESSIVE SKIN CONTACT MAY CAUSE IRRITATION OF SKIN, & RESULT IN DERMATITIS. CONTACT WITH EYES WILL CAUSE IRRITATION. INHAL: MAY CAUSE IRRITATION OF RESPIRATORY TRACT.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:ANY MEDICAL CONDITION THAT MAY BE AGGRAVATED BY A PULMONARY IRRITANT.

=====
First Aid Measures
=====

First Aid:EYES: WASH WITH WATER FOR AT LEAST 15 MINUTES & CONSULT PHYSICIAN. SKIN: WASH WITH WATER. INHAL: REMOVE TO FRESH AIR. SEEK MEDICAL ATTENTION IF SYMPTOMS PERSIST. INGEST: CALL MD IMMED .

=====
Fire Fighting Measures
=====

Extinguishing Media:CO*2, DRY CHEMICAL, HALON, WATER SPRAY.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:CLOSED CONTAINRS IN A FIRE MAY RUPTURE DUE TO PRESSURE BUILD-UP; USE WATER TO COOL CONTAINERS TO PREVENT THIS.

=====
Accidental Release Measures
=====

Spill Release Procedures:MOP UP, OR OTHERWISE PICK UP PRODUCT WITH ABSORBING MATERIALS. RINSE AREA WITH CLEAN, COLD WATER; THEN DRY.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP FROM FREEZING.

Other Precautions:NONE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:SHOULD NOT BE REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NORMAL AMBIENT VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:LATEX OR RUBBER GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

Appearance and Odor:THIN BLACK PASTE WITH AN ASPHALT ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH ALL FEDERAL, STATE,
AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.