SPOTCHECK®

MATERIAL SAFETY DATA SHEET

SPOTCHECK[®] PENETRANT SKL-SP1

1.	Company: Address: Telephone No.: Product Use: Packages: NFPA Rating: PIN (Canada): Povicion dato:	MAGNAFLUX 3624 West Lake Avenue, Glenview, Illinois 60026 847-657-5300 (Off-Hour Emergency Number - CHEMTREC - 1-800-424-9300). Visible inspection penetrant. 1 gallon and 5 gallon pails, 20 gallon drums, 55 gallon drums, Totes, aerosols, pens Health 1, Flammability 1, (Aerosol Flammability 4), Reactivity 0 None
	Revision date:	April 16, 2010

2. HAZARDOUS INGREDIENTS

<u>Ingredient</u>	<u>Wt./Wt.%</u>	<u>CAS #</u>	<u>TLV</u>	<u> PEL</u>	<u>LD₅₀</u>	<u>LC₅₀</u>
		8042-47-5 or				
White mineral oil (petroleum)	60-80	64742-47-8	5 mg/m ³	5 mg/m ³	not avail.	not avail.
Phthalic Esters	5-25	71888-89-6	5mg/m ³	not avail.	not avail.	not avail.
Liquefied petroleum gasses						
(propellant, aerosol only)*	30	68476-86-8	not avail.	1000 ppm	not avail.	not avail.
*Aerosol Package Only						

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Bland, oily liquid which may irritate the skin and eyes. Bulk material is difficult to ignite, but will burn vigorously if engulfed in fire. Aerosol is extremely flammable.

POTENTIAL HEALTH EFFECTS, AND SIGNS AND SYMPTOMS OF EXPOSURE:

Skin contact:	Can irritate by removing natural skin oils on long or repeated exposures.	
Eyes:	May irritate.	
Inhalation:	Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness and nausea.	
Ingestion:	Not significant in small (mouthful) amounts.	
Medical conditions known to be aggravated by exposure to product: None		

4. FIRST AID

Skin Contact:	Wash off with soap and water. Use soothing lotion.
Eyes:	Rinse carefully under upper and lower eyelids using plenty of water.
Inhalation:	Remove to fresh air if dizzy or nauseated.
Ingestion:	Do not induce vomiting. Accidental ingestion of a small mouthful is not expected to cause significant harm.
NOTE: In all severe cases	s, contact physician immediately. Local telephone operators can furnish number of regional poison control center.

5. FIRE HAZARD

Conditions of flammability:	Aerosol: Spraying near an ignition source will ignite spray mist.
	Bulk: None unless heated over 200°F (93°C) near ignition source.
Flash point (Bulk):	Min. 200°F (93°C) (Pensky-Martens closed cup)
Flammable limits in air:	1% to 6%
Extinguishing media:	Carbon dioxide, foam
Special fire fighting procedures:	Keep containers cool with water spray. Do not spray water directly on burning SKL-SP1. It may float and spread the fire.
Hazardous combustion products:	Smoke, soot, oxides of carbon and nitrogen.
Unusual fire hazards:	Aerosol cans may burst at temperatures over 130°F (54°C) and spray contents into a fire.

6. ACCIDENTAL RELEASE MEASURES

Mop up or sweep up with absorbent. (For disposal, see Section 13.)

7. HANDLING AND STORAGE

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist. Do not spray around arcs or flames.

Storage Level 3 Aerosols per NFPA 30B

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Controls:	None, unless sprayed. Use where ventilation will carry spray mist away from occupied areas.		
Personal protection:	Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter if		
	sprayed in enclosed unventilated space.		



3624 WEST LAKE AVENUE
GLENVIEW, ILLINOIS 60026 TEL 847.657.5300
FAX 847.657.5388 www.magnaflux.com

SPOTCHECK®

9. PHYSICAL PROPERTIES

Initial boiling point (bulk) Min. 455°F (230°C) (ASTM D-86)

			Bulk: <0.10 mm @ 70°F (21°C)
Percent volatile:	None (30% in aerosol)	Vapor density:	Heavier than air
Density/sp. gravity:	0.89	Evaporation rate:	Negligible
Water solubility:	0 Appearance:	Dark red oily liquid	
pH:	Neutral	Odor:	Mild oily odor

Vapor pressure:

Aerosol: 60 psi @ 75°F (24°C)

STABILITY AND REACTIVITY 10.

Stability: Stable Incompatibility: None Hazardous decomposition products: Soot, oxides of carbon and nitrogen when burning Reactivity: None

TOXICOLOGICAL INFORMATION 11.

Contains no known or suspected carcinogens listed with OSHA, IARC, NTP, or ACGIH. Carcinogenicity: Threshold limited value: 5 mg/m³ for oily mist. WHMIS information (Canada): No human information is available for teratogenicity, reproductive toxicity, and mutagenicity. No reports of toxicological synerism were located. The ingredients have not been found to show skin sensitization.

ECOLOGICAL INFORMATION 12.

No data is available on SKL-SP1. It floats on water and can be skimmed off. Its low vapor pressure may exempt it from VOC restrictions. The hydrocarbon propellant is not an ozone depleter.

DISPOSAL 13.

As a non-hazardous oil waste, incinerate or send to waste handler who can blend it into secondary fuels. Empty aerosol cans before disposal.

TRANSPORTATION 14.

ILS DOT: 49 CER 172 101 Hazardous Materials Table

0.5. DOT: 49 CFR 172.101 Hazard	ous materiais Table		
	<u>1 gal, 5 gal</u>	<u>20 gal, 55 gal. & Totes</u>	Aerosol
Proper shipping name:	None, not restricted	None, not restricted	Consumer commodity
Hazard class or division:	None	None	ORM-D
Identification No.:	None	None	None
Packing Group:	None	None	None
IATA: List of Dangerous Goods	<u>1 gal, 5 gal</u>	<u>Bulk</u>	Aerosol
Proper shipping name:	None, not restricted	None, not restricted	Aerosols, flammable
Hazard class or division:	None	None	2.1
Identification No.:	None	None	UN1950
Packing Group:	None	None	-
IMDG: General Index	<u>1 gal, 5 gal</u>	<u>Bulk</u>	Aerosol
Proper shipping name:	None, not restricted	None, not restricted	AEROSOLS
Hazard class or division:	None	None	2.1
Identification No.:	None	None	UN1950
Packing Group:	None	None	-
REGULATORY INFORMATION			

15.

TSCA: All ingredients are listed in TSCA inventory CERCLA:

SARA TITLE III, Section 313:

WHMIS Class (Canada): Bulk: D-2A Aerosol: A. B-5, D-2A Note: This MSDS has been prepared to meet WHMIS (Canada) requirements with the exception of using 16 headings.

16. **OTHER INFORMATION**

Revision Statement:	Sections: 7
Supersedes:	July 14, 2008
Prepared by:	Tamie Simmons, Research Manager



3624 WEST LAKE AVENUE SLENVIEW, ILLINOIS 60026 TEL 847.657.5300 = FAX 847.657.5388 www.magnaflux.com