


|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 1                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

29 CFR 1910.1200 (OSHA HazCom 2012)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

Trade name : NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID

### Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Engine, gear & lubricating oil.


|   |  |
|---|--|
| <b>Details of the supplier of the safety data sheet</b><br><br>Valvoline LLC<br>3499 Blazer Parkway<br>Lexington, KY 40509<br>United States of America<br><br>SDS@valvoline.com | <b>Emergency telephone number</b><br>1-800-VALVOLINE<br><br><b>Regulatory Information Number</b><br>1-800-TEAMVAL<br><br><b>Product Information</b><br>1-800-TEAMVAL |
|---|--|

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Skin sensitization : Category 1

### GHS Label element

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : May cause an allergic skin reaction.

Precautionary Statements : If medical advice is needed, have product container or label at hand.


Keep out of reach of children.

Read label before use.

### Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Contaminated work clothing must not be allowed out of the workplace.

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 2                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

Wear protective gloves.

**Response:**

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---


**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Defatter


**Hazardous components**

| Chemical Name   | CAS-No.    | Classification                            | Concentration (%) |
|---|------------|---|-------------------|
| HYDROTREATED LIGHT PARAFFINIC DISTILLATE                    | 64742-55-8 | Not a hazardous substance or mixture.     | 59.33             |
| HEAVY PARAFFINIC DISTILLATE                                 | 64742-54-7 | Asp. Tox. 1; H304                         | 25.66             |
| Mineral Oil   |            | Asp. Tox. 1; H304                         | 3.10              |
| BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS |            | Eye Irrit. 2A; H319<br>Skin Sens. 1; H317 | 0.77              |
| DODECYL HYDROXYPROPYL SULFIDE                               | 67124-09-8 | Skin Sens. 1; H317                        | 0.77              |
| POLYMER   |            | Skin Sens. 1; H317                        | 0.38              |

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 3                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

#### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.  
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Acute aspiration of large amounts of oil-laden material may produce a serious aspiration pneumonia. Patients who aspirate these oils should be followed for the development of long-term sequelae. Repeated aspiration of small quantities of mineral oil can produce chronic inflammation of the lungs (i.e. lipoid pneumonia) that may progress to pulmonary fibrosis. Symptoms are often subtle and radiological changes appear worse than clinical abnormalities. Occasionally, persistent cough, irritation of the upper respiratory tract, shortness of breath with exertion, fever, and bloody sputum occur. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause pulmonary abnormalities.
- Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
acne  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)  
May cause an allergic skin reaction.
- Notes to physician : No hazards which require special first aid measures.

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 4                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC<br>TRANSMISSION FLUID                        |  | Version: 1.4              |
| 591671  |  |                           |

---


## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Water spray  
 Foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide  
 Hydrocarbons  
 Aldehydes
- Specific extinguishing methods :
- Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.  
 Prevent further leakage or spillage if safe to do so.  
 If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
 Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 5                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours/dust.  
Do not smoke.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Container hazardous when empty.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components                               | CAS-No.    | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis           |
|--|------------|-------------------------------|--|-----------------|
| HYDROTREATED LIGHT PARAFFINIC DISTILLATE | 64742-55-8 | REL                           | 5 mg/m3<br>Mist.                               | NIOSH/GUID<br>E |
|  |            | STEL                          | 10 mg/m3<br>Mist.                              | NIOSH/GUID<br>E |
|  |            | PEL                           | 5 mg/m3<br>Mist.                               | OSHA_TRA<br>NS  |


- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Hand protection

Remarks

- : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 6                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:  
 impervious clothing  
 Safety shoes  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
 Discard gloves that show tears, pinholes, or signs of wear.  
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Physical state : liquid

Colour : red

Odour : No data available

Odour Threshold : No data available

pH : No data available

: No data available

: No data available

Flash point : > 390 °F / > 199 °C  
 Method: Cleveland open cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available


Upper explosion limit : 6 %(V)  
 Calculated Explosive Limit

Lower explosion limit : 1 %(V)  
 Calculated Explosive Limit

Vapour pressure : 0.0133333 hPa (21.11 °C)  
 Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : 0.854 (15.6 °C)

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 7                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID<br>591671                 |  | Version: 1.4              |

Density : 0.8508 g/cm<sup>3</sup> (15.56 °C)

Solubility(ies)  
 Water solubility : negligible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Thermal decomposition : No data available

Viscosity  
 Viscosity, dynamic : < 10,000 mPa.s Method: Brookfield

Viscosity, kinematic : ca. 34 mm<sup>2</sup>/s (40 °C)

Oxidizing properties : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat


Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : carbon dioxide and carbon monoxide  
Hydrocarbons

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 8                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

**Acute toxicity**

Not classified based on available information.

**Components:**

HEAVY PARAFFINIC DISTILLATE:

Acute oral toxicity : LD 50 (Rat): > 15 g/kg

Acute dermal toxicity : LD 50 (Rabbit): > 5 g/kg

DODECYL HYDROXYPROPYL SULFIDE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks: May cause skin irritation in susceptible persons.

Result: Repeated exposure may cause skin dryness or cracking.

**Components:**

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Result: Mildly irritating to skin

HEAVY PARAFFINIC DISTILLATE:

Result: Mildly irritating to skin

BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS:

Result: Possibly irritating to skin

DODECYL HYDROXYPROPYL SULFIDE:

Species: Rabbit

Result: Not irritating to skin

POLYMER:

Result: Not irritating to skin

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Result: Slightly irritating to eyes

Remarks: Expected based on components.


Remarks: Unlikely to cause eye irritation or injury.

**Components:**

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Result: Mildly irritating to eyes



|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 9                   |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID<br>591671                 |  | Version: 1.4              |

HEAVY PARAFFINIC DISTILLATE:  
Result: Not irritating to eyes

BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS:  
Result: Irritating to eyes

DODECYL HYDROXYPROPYL SULFIDE:  
Species: Rabbit  
Result: Not irritating to eyes

POLYMER:  
Result: Not irritating to eyes

**Respiratory or skin sensitisation**

Skin sensitisation: May cause an allergic skin reaction.  
Respiratory sensitisation: Not classified based on available information.

**Components:**

BENZENE, POLYPROPENE DERIVATIVES, SULFONATED, CALCIUM SALTS:  
Assessment: May cause sensitization by skin contact.

DODECYL HYDROXYPROPYL SULFIDE:  
Assessment: May cause sensitization by skin contact.  
Result: May cause sensitization by skin contact.

POLYMER:  
Assessment: May cause sensitization by skin contact.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Components:**

HEAVY PARAFFINIC DISTILLATE:  
May be fatal if swallowed and enters airways.

Mineral Oil:  
May be fatal if swallowed and enters airways.

**Further information**


**Product:**

Remarks: No data available

**Carcinogenicity:**

**IARC**

No component of this product present at levels greater than or

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 10                  |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**HEAVY PARAFFINIC DISTILLATE:**

Toxicity to fish : LL50 (Fish): > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates : EL50 (Aquatic invertebrates): > 10,000 mg/l

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 10 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Aquatic invertebrates): 10 mg/l

**DODECYL HYDROXYPROPYL SULFIDE:**

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 0.75 mg/l  
 Exposure time: 96 h  
 Test Type: semi-static test  
 Method: OECD Test Guideline 203  
 GLP: yes


Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC 50 (Daphnia magna (Water flea)): 0.5 mg/l  
 Exposure time: 21 d  
 End point: see user defined free text  
 Test Type: see user defined free text  
 Method: OECD Test Guideline 211  
 GLP: yes

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 11                  |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

General advice : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
  
Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**

| ID NUMBER | PROPER SHIPPING NAME | *HAZARD CLASS | SUBSIDIARY HAZARDS | PACKING GROUP | MARINE POLLUTANT / LTD. QTY. |
|-----------|----------------------|---------------|--------------------|---------------|------------------------------|
|-----------|----------------------|---------------|--------------------|---------------|------------------------------|

**U.S. DOT - ROAD**


|                     |
|---------------------|
| Not dangerous goods |
|                     |

**CFR\_RAIL\_C**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**U.S. DOT - INLAND WATERWAYS**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 12                  |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

**TDG\_ROAD\_C**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**TDG\_RAIL\_C**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**TDG\_INWT\_C**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**INTERNATIONAL MARITIME DANGEROUS GOODS**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**MX\_DG**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

|                  |    |
|------------------|----|
| Marine pollutant | no |
|------------------|----|


Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION**

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 313 Component(s)SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Pennsylvania Right To Know**  
 HYDROTREATED LIGHT PARAFFINIC 64742-55-8 50.00 - 70.00 %  
 DISTILLATE

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 13                  |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

|                             |              |                 |
|-----------------------------|--------------|-----------------|
| HEAVY PARAFFINIC DISTILLATE | 64742-54-7   | 20.00 - 30.00 % |
| POLYMER                     | Not Assigned | 5.00 - 10.00 %  |
| LUBRICANT ADDITIVE          | Not Assigned | 1.00 - 5.00 %   |
| Mineral Oil                 | Not Assigned | 1.00 - 5.00 %   |

**New Jersey Right To Know**

|  |              |                 |
|--|--------------|-----------------|
| HYDROTREATED LIGHT PARAFFINIC DISTILLATE | 64742-55-8   | 50.00 - 70.00 % |
| HEAVY PARAFFINIC DISTILLATE              | 64742-54-7   | 20.00 - 30.00 % |
| POLYMER                                  | Not Assigned | 5.00 - 10.00 %  |
| LUBRICANT ADDITIVE                       | Not Assigned | 1.00 - 5.00 %   |
| Mineral Oil                              | Not Assigned | 1.00 - 5.00 %   |

**California Prop 65**


Proposition 65 warnings are not required for this product based on the results of a risk assessment.

**The components of this product are reported in the following inventories:**

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL.
- AUSTR : On the inventory, or in compliance with the inventory
- NZIOC : Not in compliance with the inventory
- ENCS : Not in compliance with the inventory
- KECL : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

**Inventories**


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECL (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 14                  |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID                           |  | Version: 1.4              |
| 591671  |  |                           |

**SECTION 16. OTHER INFORMATION**

**Further information**

Revision Date: 07/31/2016

|  |   |               |          |                     |          |                        |          |
|--|---|---------------|----------|---------------------|----------|------------------------|----------|
| <p><b>NFPA:</b></p> <div style="text-align: center;"> <p>Flammability</p>  <p>Health      Instability</p> <p>Special hazard.</p> </div> | <p><b>HMIS III:</b></p> <table border="1" style="width: 100%;"> <tr> <td style="background-color: blue; color: white;"><b>HEALTH</b></td> <td style="text-align: center;"><b>1</b></td> </tr> <tr> <td style="background-color: red; color: white;"><b>FLAMMABILITY</b></td> <td style="text-align: center;"><b>1</b></td> </tr> <tr> <td style="background-color: yellow;"><b>PHYSICAL HAZARD</b></td> <td style="text-align: center;"><b>0</b></td> </tr> </table> <p>0 = not significant, 1 =Slight,<br/>2 = Moderate, 3 = High<br/>4 = Extreme, * = Chronic</p> | <b>HEALTH</b> | <b>1</b> | <b>FLAMMABILITY</b> | <b>1</b> | <b>PHYSICAL HAZARD</b> | <b>0</b> |
| <b>HEALTH</b>  | <b>1</b>  |               |          |                     |          |                        |          |
| <b>FLAMMABILITY</b>  | <b>1</b>  |               |          |                     |          |                        |          |
| <b>PHYSICAL HAZARD</b>   | <b>0</b>  |               |          |                     |          |                        |          |

**NFPA Flammable and Combustible Liquids Classification**  
Combustible Liquid Class IIIB

**Full text of H-Statements referred to under sections 2 and 3.**


- H290                      May be corrosive to metals.
- H302                      Harmful if swallowed.
- H304                      May be fatal if swallowed and enters airways.
- H312                      Harmful in contact with skin.
- H314                      Causes severe skin burns and eye damage.
- H317                      May cause an allergic skin reaction.
- H318                      Causes serious eye damage.

**Further information**

Sources of key data used to compile the Safety Data Sheet  
 Valvoline internal data including own and sponsored test reports  
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-825-8654).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

|   |  |                           |
|---|--|---------------------------|
|  |  | Page: 15                  |
| <b>SAFETY DATA SHEET</b>  |  | Revision Date: 07/31/2016 |
|   |  | Print Date: 9/27/2016     |
|   |  | SDS Number: R0382635      |
| NAPA® ATF+4 FULL SYNTHETIC AUTOMATIC<br>TRANSMISSION FLUID                        |  | Version: 1.4              |
| 591671  |  |                           |

ACGIH : American Conference of Industrial Hygienists  
 BEI : Biological Exposure Index  
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
 FG : Food grade  
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
 H-statement : Hazard Statement  
 IATA : International Air Transport Association.  
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization  
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
 IMDG : International Maritime Code for Dangerous Goods  
 ISO : International Organization for Standardization  
 logPow : octanol-water partition coefficient  
 LCxx : Lethal Concentration, for xx percent of test population  
 LDxx : Lethal Dose, for xx percent of test population.  
 ICxx : Inhibitory Concentration for xx of a substance  
 Ecxx : Effective Concentration of xx  
 N.O.S.: Not Otherwise Specified  
 OECD : Organization for Economic Co-operation and Development  
 OEL : Occupational Exposure Limit  
 P-Statement : Precautionary Statement  
 PBT : Persistent , Bioaccumulative and Toxic  
 PPE : Personal Protective Equipment  
 STEL : Short-term exposure limit  
 STOT : Specific Target Organ Toxicity  
 TLV : Threshold Limit Value  
 TWA : Time-weighted average  
 vPvB : Very Persistent and Very Bioaccumulative  
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act  
 DOT : Department of Transportation  
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act  
 HMIRC : Hazardous Materials Information Review Commission  
 HMIS : Hazardous Materials Identification System  
 NFPA : National Fire Protection Association  
 NIOSH : National Institute for Occupational Safety and Health  
 OSHA : Occupational Safety and Health Administration  
 PMRA : Health Canada Pest Management Regulatory Agency  
 RTK : Right to Know  
 WHMIS : Workplace Hazardous Materials Information System