



## Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name**

OXYGEN, COMPRESSED GAS

**Synonyms**

MTG MSDS 71; OXYGEN; DIOXYGEN; MOLECULAR OXYGEN; OXYGEN MOLECULE; PURE OXYGEN; UN 1072; LOX; HYPEROXIA; O2

**Chemical Family**

inorganic, Gas

**Product Description**

Classification determined in accordance with Compressed Gas Association standards.

**Product Use**

Industrial and Specialty Gas Applications

**Restrictions on Use**

None known.

**Details of the supplier of the safety data sheet**

MATHESON TRI-GAS, INC.

150 Allen Road, Suite 302

Basking Ridge, NJ 07920

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC)

Outside the US: 703-527-3887 (Call collect)

### Section 2 - HAZARDS IDENTIFICATION

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Oxidizing Gases - Category 1

Gases Under Pressure - Compressed gas

**GHS Label Elements**

**Symbol(s)**



**Signal Word**

Danger

**Hazard Statement(s)**

May cause or intensify fire; oxidizer.

Contains gas under pressure; may explode if heated.

**Precautionary Statement(s)**

**Prevention**

Keep valves and fittings free from oil and grease.

Keep/Store away from clothing/combustible materials.

**Response**

In case of fire: stop leak if safe to do so.

**Storage**

Protect from sunlight. Store in a well-ventilated place.



## Safety Data Sheet

**Material Name: OXYGEN, COMPRESSED GAS****SDS ID: MAT12831****Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other Hazards**

Rapid release of compressed gas may cause frostbite.

**Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

CAS	Component Name	Percent
7782-44-7	OXYGEN, COMPRESSED GAS	100

**Section 4 - FIRST AID MEASURES****Inhalation**

If adverse effects occur, remove to uncontaminated area. Get medical attention.

**Skin**

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115°F; 41-46°C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

**Eyes**

Flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

**Ingestion**

If swallowed, get medical attention.

**Most Important Symptoms/Effects****Acute**

frostbite

**Delayed**

No information on significant adverse effects.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically and supportively.

**Note to Physicians**

Treat symptomatically and supportively.

**Section 5 - FIRE FIGHTING MEASURES****Extinguishing Media****Suitable Extinguishing Media**

carbon dioxide, regular dry chemical, Large fires: Use water spray, fog or regular foam.

**Unsuitable Extinguishing Media**

None known.

**Special Hazards Arising from the Chemical**

Oxidizer. May ignite or explode on contact with combustible materials. Containers may rupture or explode if exposed to heat.

**Hazardous Combustion Products**

miscellaneous decomposition products

**Fire Fighting Measures**

Move container from fire area if it can be done without risk. Do not direct water at source of leak or safety devices; icing may occur. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water. Apply water from a protected location or from a safe distance.



## Safety Data Sheet

**Material Name: OXYGEN, COMPRESSED GAS****SDS ID: MAT12831****Special Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

**Section 6 - ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment, see Section 8.

**Methods and Materials for Containment and Cleaning Up**

Avoid contact with combustible materials. Do not touch or walk through spilled material. Stop leak if possible without personal risk. Do not direct water at spill or source of leak. Keep unnecessary people away, isolate hazard area and deny entry. Isolate area until gas has dispersed. Ventilate closed spaces before entering. Use only non-sparking tools.

**Environmental Precautions**

Avoid release to the environment.

**Section 7 - HANDLING AND STORAGE****Precautions for Safe Handling**

Keep away from clothing and other combustible materials. Keep reduction valves free from grease and oil. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Damaged cylinders should be handled only by specialists. Open valve slowly. Use only with equipment cleaned for oxygen service. To avoid fire or explosion, ground and bond container and receiving equipment (and ground personnel) before transferring material.

**Conditions for Safe Storage, Including any Incompatibilities**

Protect from sunlight. Store in a well-ventilated place.

Store in accordance with all current regulations and standards. Protect from physical damage. Avoid heat, flames, sparks and other sources of ignition. Store in a clean, cool, dry place. Store below 52 C. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

**Incompatible Materials**

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

**Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION****Component Exposure Limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

**ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

There are no biological limit values for any of this product's components.

**Engineering Controls**

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction. Use only with equipment rated for cylinder pressure. Store in receptacles with relief valves, grounding and bonding, and secondary containment.

**Individual Protection Measures, such as Personal Protective Equipment****Eye/face protection**

Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**Skin Protection**

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.



## Safety Data Sheet

**Material Name: OXYGEN, COMPRESSED GAS****SDS ID: MAT12831****Respiratory Protection**

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

**Glove Recommendations**

Wear insulated gloves.

**Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	colorless gas	<b>Physical State</b>	gas
<b>Odor</b>	odorless	<b>Color</b>	colorless
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available
<b>Melting Point</b>	-218.4 °C (-361 °F )	<b>Boiling Point</b>	-182.96 °C (-297 °F )
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not flammable
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	Not available
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	760 mmHg @ -183 °C
<b>Vapor Density (air=1)</b>	1.43	<b>Specific Gravity (water=1)</b>	1.14 at -183 °C
<b>Water Solubility</b>	3.2 % (@ 25 °C )	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	0.02075 cp	<b>Kinematic viscosity</b>	Not available
<b>Solubility (Other)</b>	Not available	<b>Density</b>	1.309 g/L at 25 °C
<b>Physical Form</b>	Compressed gas	<b>Taste</b>	tasteless
<b>Molecular Formula</b>	O <sub>2</sub>	<b>Molecular Weight</b>	31.9988
<b>Oxidising properties</b>	Oxidizer		

**Solvent Solubility****Soluble**

alcohol

**Section 10 - STABILITY AND REACTIVITY****Reactivity**

No reactivity hazard is expected.

**Chemical Stability**



## Safety Data Sheet

**Material Name: OXYGEN, COMPRESSED GAS****SDS ID: MAT12831**

Stable at normal temperatures and pressure.

**Possibility of Hazardous Reactions**

Will not polymerize. Oxidizer.

**Conditions to Avoid**

Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

**Incompatible Materials**

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

**Hazardous decomposition products**

miscellaneous decomposition products

<b>Section 11 - TOXICOLOGICAL INFORMATION</b>
---

**Information on Likely Routes of Exposure****Inhalation**

irritation, changes in body temperature, nausea, difficulty breathing, irregular heartbeat, chest pain, lung damage, dizziness, Disorientation, hallucinations, mood swings, pain in extremities, tremors, lung congestion, convulsions, cough

**Skin Contact**

frostbite, blisters

**Eye Contact**

frostbite, irritation, blurred vision

**Ingestion**

Ingestion of gas is unlikely.

**Acute and Chronic Toxicity****Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

**Product Toxicity Data****Acute Toxicity Estimate**

No data available.

**Immediate Effects**

frostbite

**Delayed Effects**

No information on significant adverse effects.

**Irritation/Corrosivity Data**

No data available.

**Respiratory Sensitization**

No data available.

**Dermal Sensitization**

No data available.

**Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

**Germ Cell Mutagenicity**

No data available.

**Tumorigenic Data**

No data available

**Reproductive Toxicity**

No data available.

**Specific Target Organ Toxicity - Single Exposure**



### Safety Data Sheet

**Material Name: OXYGEN, COMPRESSED GAS**

**SDS ID: MAT12831**

No target organs identified.

**Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

**Aspiration hazard**

Not expected to be an aspiration hazard.

**Medical Conditions Aggravated by Exposure**

No data available.

**Section 12 - ECOLOGICAL INFORMATION**

**Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

**Persistence and Degradability**

No data available.

**Bioaccumulative Potential**

No data available.

**Mobility**

No data available.

**Section 13 - DISPOSAL CONSIDERATIONS**

**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

**Section 14 - TRANSPORT INFORMATION**

**US DOT Information:**

**Shipping Name:** OXYGEN, COMPRESSED

**Hazard Class:** 2.2

**UN/NA #:** UN1072

**Required Label(s):** 2.2, 5.1

**IMDG Information:**

**Shipping Name:** OXYGEN, COMPRESSED

**Hazard Class:** 2.2

**UN#:** UN1072

**Required Label(s):** 2.2, 5.1

**International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

**Section 15 - REGULATORY INFORMATION**

**U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories**

Gas Under Pressure; Oxidizer

**U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
-----------	-----	----	----	----	----	----



### Safety Data Sheet

**Material Name: OXYGEN, COMPRESSED GAS**

**SDS ID: MAT12831**

<b>OXYGEN, COMPRESSED GAS</b>	<b>7782-44-7</b>	No	Yes	No	Yes	Yes
-------------------------------	------------------	----	-----	----	-----	-----

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**

Not listed under California Proposition 65.

**Component Analysis - Inventory**

**OXYGEN, COMPRESSED GAS (7782-44-7)**

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	No	No	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

**Section 16 - OTHER INFORMATION**

**NFPA Ratings**

Health: 0 Fire: 0 Instability: 0 Other: OX = Oxidizer

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

**Preparation Date**

01/19/2016

**Revision date**

08/21/2018

**Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne - Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA -



**MATHESON**

ask. . .The Gas Professionals™

## Safety Data Sheet

**Material Name: OXYGEN, COMPRESSED GAS**

**SDS ID: MAT12831**

Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

**Other Information**

**Disclaimer:**

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.