

===== MSDS
Safety Information
=====

[TOP](#)

FSC: 8040 MSDS Date: 03/22/1993 MSDS Num: BWRPY

Submitter: N EN LIIN: 00N057209 Tech Review: 02/23/1995 Status CD: C

Product ID: ALEENE'S TACKY GLUE, 32-6518 MFN: 01

Article: N Kit Part: N

Cage: 5B840
Responsible Party

Name: ARTIS INC

Address: 85 INDUSTRIAL WAY

City: BUELLTON State: CA Zip: 93427

Country: US

Info Phone Number: 805-688-7339

Emergency Phone Number: 805-688-7339

Radioactive Ind: N

Preparer's Name: N/P

Proprietary Ind: N Review Ind: N

Published: Y Special Project CD: N

===== Contractor
Summary =====

[TOP](#)

Cage: 5B840 Name: ARTIS INC

Address: 85 INDUSTRIAL WAY City: BUELLTON State: CA Zip: 93427

Country: US Phone: 805-688-7339

===== Ingredients
=====

[TOP](#)

Cas: X RTECS #: X

Code: RTECS #: Code:

Name: NON-HAZARDOUS INGREDIENTS

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K (FP N)

Code: M OSHA STEL: Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

Cas: X 9999999VO M

Code: RTECS #: Code:

Name: VOLATILE ORGANIC COMPOUNDS: <5 S/L.

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

NOT APPLICABLE

Code: M OSHA STEL: Code:

ACGIH TLV: NOT APPLICABLE

Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

=====
Hazards Data Health
=====

[TOP](#)

LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds – Inhalation:NO Skin:NO Ingestion:NO

Carcinogenicity Inds – NTP:NO IARC:NO OSHA:NO

Health Hazards Acute And Chronic

ACUTE:NO HAZARD IN NORMAL INDUSTRIAL USE. EYE:MAY BE MILDLY IRRITATING AS W/ANY FOREIGN MATERIAL IN EYE. CHRONIC:THIS PRODUCT SHOULD BE CONSIDERED NON-HAZARDOUS & HAS NO KNOWN CHRONIC EFFECTS.

Explanation Of Carcinogenicity

NOT RELEVANT

Signs And Symptoms Of Overexposure

SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure

NONE SPECIFIED BY MANUFACTURER.

First Aid

INGEST:CALL MD IMMEDIATELY (FP N). INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) (FP N). SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD (FP N). EYE:FLUSH W/LARGE AMOUNTS OF WATER F OR AT LEAST 15 MINUTES UNTIL IRRITATIONSUBSIDES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

Spill Release Procedures

SPILLS SHOULD BE TAKEN UP W/SUITABLE ABSORBENT MATERIAL & PLACED IN CONTAINERS. SPILL AREAS CAN BE WASHED W/WATER; COLLECT WASH WATER FOR APPROVED DISPOSAL. DO NOT FLUSH TO STORM SEWER OR WATERWAY.

Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods

WASTE DISPOSAL SHOULD BE I/A/W EXISTING FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions

STORAGE TEMPERATURE: 40-100F. PROTECT FROM FREEZING.

Other Precautions

CONDITIONS UNDER WHICH PERSONAL PROTECTIVE EQUIPMENT REQUIRED: NORMAL WORK CONDITIONS; MAINTENANCE/REPAIR.

===== Fire and
Explosion Hazard Information

TOP

Flash Point Method:

N/P

Flash Point:

Flash Point Text: NOT APPLICABLE

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/A

Upper Limits: N/A

Extinguishing Media

CO*2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures

USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard

NOT APPLICABLE

Measures **Control** [TOP](#)

Respiratory Protection

NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). NONE REQUIRED UNDER NORMAL HANDLING CONDITIONS.

Ventilation

GENERAL VENTILATION.

Protective Gloves

IMPERVIOUS GLOVES (FP N).

Eye Protection

ANSI APPROVED SAFETY GLASSES (FP N).

Other Protective Equipment

PROTECTIVE CLOTHING IS NORMALLY NOT NECESSARY FOR FORESEEABLE CONDITIONS OF USE.

Work Hygienic Practices

NONE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: >212F,>100C

Melt/Freeze Pt:

M.P/F.P Text: <40F,<4C

Decomp Temp:

Decomp Text: N/K

Vapor Pres: 17.5 @ 20C

Vapor Density: 0.62

Volatile Org Content %:

Spec Gravity: 1.08 (H*2O=1)

VOC Pounds/Gallon:

PH: 4.8

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: 1 (WATER)

Solubility in Water: MISCIBLE

Appearance and Odor: WHITE LIQUID; TYPICAL SLIGHT SWEET ODOR.

Percent Volatiles by Volume: 45(WT)

Corrosion Rate: N/K

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: MATERIALS THAT REACT W/WATER.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT RELEVANT

=====**Toxicological Information**==== [TOP](#)

Toxicological Information:

N/P

=====**Ecological Information**==== [TOP](#)

Ecological:

N/P

=====**MSDS Transport Information**==== [TOP](#)

Transport Information:

N/P

=====**Regulatory Information**==== [TOP](#)

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

=====**Other Information**==== [TOP](#)

Other Information:

N/P

=====**HAZCOM Label**==== [TOP](#)

[Print Labels](#)

Product ID:

ALEENE'S TACKY GLUE, 32-6518

Cage: 5B840

Assigned IND: N

Company Name:

ARTIS INC

Street: 85 INDUSTRIAL WAY

PO Box:

City:

BUELLTON

State: CA

Zipcode: 93427

Country: US

Health Emergency Phone:

805-688-7339

Label Required IND:

Y

Date Of Label Review: 02/23/1995

Status Code: C

MFG Label NO:

Label Date: 02/23/1995

Year Procured:

Origination Code:

G

Chronic Hazard IND: N

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection YES
IND:

Health Hazard:

None

Contact Hazard: Slight

Fire Hazard:

None

Reactivity Hazard: None

Hazard And Precautions

ACUTE:NO HAZARD IN NORMAL INDUSTRIAL USE. EYE:MAY BE MILDLY IRRITATING AS W/ANY FOREIGN MATERIAL IN EYE. CHRONIC:THIS PRODUCT SHOULD BE CONSIDERED NON-HAZARDOUS & HAS NO KNOWN CHRONIC EFFECTS.

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.